



Photo: People busy in their routine and not adhering to preventive measures amidst the COVID-19 pandemic (from the author's own collection, used with permission).

Overall, lack of lockdown-regulations, negligible implementation of preventive measures, lack of preventive resources, lack of knowledge in the public, mass gatherings in worship places, and an already fragile health care system, had put Pakistan on a road destined to make it one of the worst hit countries by this pandemic [7]. A study by Imperial College London had predicted by various algorithms that Pakistan would report the highest number of deaths on the 10th of August 2020 with the total reaching 78 515 after which Pakistan would witness a decline [8].

FLATTENED CURVE

Views on the mystery of flattened curve in Pakistan:

- The very possible confounding factor of decreased number of cases is the disparity in reporting the data and the government trying to delude the public to prove its policies to be stronger than in reality. On the other hand, this can be contradicted by the evidence of no spike in graveyard data and the continuous fall in demand for pressurized oxygen and ventilators. The claims by very credible health care professionals of decreased hospital workload also support this theory of low intensive healthcare demand. Moreover, Pakistan managed to pay heed to other epidemics like polio and was able to carry out 4 immunization drives unlike other endemic countries like Afghanistan [9].

- Another theory to the flattened curve is the decreased number of tests conducted. However, this factor also cannot be attributed to a seemingly controlled outbreak as the positivity rates are very low, i.e. no. of confirmed cases/total no. of tests conducted [10]. The average positivity rate for Pakistan is less than 5% in August 2020 and declines further below 2% by September 2020 as shown in **Figure 1**. This figure is well below the WHO recommended figure of 5% which when achieved means the outbreak is well under control.

Nonetheless, the controlled outbreak can be due to a number of factors with the most proposed ones being:

- A non-specific immunity due to immunization by various vaccines like BCG but there are still detailed clinical trials required to develop a causal relationship [11].
- The humidity in the current monsoon season and a comparatively higher temperature which is thought to attribute to the decreased spread of virus [12].




Figure 1. Positivity rate of COVID-19 tests for Pakistan in comparison to India [10]. The data are rolling 7-day average (the number of confirmed cases divided by the number of tests, expressed as a percentage). Tests may refer to the number of tests performed or the number of people tested, depending on which is reported by the particular country. Source: <https://ourworldindata.org/coronavirus>.

- Pakistan's government has had a lesser stringency index than their neighboring countries like India for example, as Pakistan preferred to impose a "smart" lockdown instead [10]. This stringency index is calculated by several policies imposed by the government including school and work-place closure, restrictions on gatherings, transport restrictions, and stay at home requirements. Since climate conditions of both countries are alike and the immunization status of both Pakistan and India are not so different, the stringency index can be the one major difference that might have turned the tide in Pakistan's favor but there is still no evidence in corroboration of this theory.

CONCLUSION

To conclude, it is a fact that Pakistan has gotten an optimal hold of the coronavirus outbreak considering their lack of preventative measures. However, declaring victory can be a major blunder as daily cases are still being reported in hundreds. Pakistan should be well prepared for a second wave as the government has already opened schools and universities starting from September 15, 2020. The factors adding up to this recovery are still ambiguous as neighboring countries with similar factors and behaviors are still struggling. The sequence of events and measures taken by Pakistan need detailed surveillance as it can help us flatten the curve in other countries by replicating similar measures.



Funding: No funding from any institution or department.

Authorship contributions: AS and DEL-P conceived the idea. AS, AA, EMY and KH contributed in writing the draft, collecting, and interpreting data. DEL-P and AS edited the final draft. All authors revised and approved the final manuscript.

Competing interests: The authors have completed the ICMJE Unified Competing Interest form (available upon request from the corresponding author) and declare no conflicts of interest.

REFERENCES

- 1 Lucero-Prisno DE III, Ahmadi A, Essar MY, Lin X, Adebisi YA. Addressing COVID-19 in Afghanistan: What are the efforts and challenges? *J Glob Health*. 2020;10:020341. [Medline:33110541](#) [doi:10.7189/jogh.10.020341](#)
- 2 WHO Coronavirus Disease (COVID-19) Dashboard. Available: <https://covid19.who.int/>. Accessed: 24 October 2020.
- 3 Saqlain M, Munir MM, Ahmed A, Tahir AH, Kamran S. Is Pakistan prepared to tackle the coronavirus epidemic? *Drugs Ther Perspect*. 2020;1-2. [Medline:32218652](#) [doi:10.1007/s40267-020-00721-1](#)
- 4 Hellewell J, Abbott S, Gimma A, Bosse NI, Jarvis CI, Russell TW, et al. Feasibility of controlling COVID-19 outbreaks by isolation of cases and contacts. *Lancet Glob Health*. 2020;8:e488-96. [Medline:32119825](#) [doi:10.1016/S2214-109X\(20\)30074-7](#)
- 5 Waris A, Atta UK, Ali M, Asmat A, Baset A. COVID-19 outbreak: current scenario of Pakistan. *New Microbes New Infect*. 2020;35:100681. [Medline:32322403](#) [doi:10.1016/j.nmni.2020.100681](#)
- 6 Husain K. How did Pakistan avert disaster? Available: <https://www.dawn.com/news/1577135>. Accessed: 24 October 2020.
- 7 Coronavirus command center reports people not following SOPs — Pakistani planning minister. *Arabnews*. 2020. Available: <https://www.arabnews.pk/node/1717916/pakistan>. Accessed: 24 October 2020.
- 8 Mawngat R. New algorithm shows alarming number of COVID-19 deaths in Pakistan by August 10. *Geo News*. 2020. Available: <https://www.geo.tv/latest/293022-new-algorithm-shows-alarming-number-of-covid-19-deaths-in-pakistan-by-august-10>. Accessed: 24 October 2020.
- 9 Ahmad S, Babar M, Ahmadi A, Essar M, Khawaja U, Lucero-Prisno D. Polio Amidst COVID-19 in Pakistan: What are the Efforts Being Made and Challenges at Hand? *Am J Trop Med Hyg*. 2020. Online ahead of print. [Medline:33269673](#) [doi:10.4269/ajtmh.20-1438](#)
- 10 Roser M, Ritchie H, Ortiz-Ospina E, Hasell J. Coronavirus Pandemic (COVID-19). *Our World in Data*. 2020. Available: <https://ourworldindata.org/coronavirus>. Accessed: 24 October 2020.
- 11 Mohamed Hossein AAR, Salem MR, Salman S, Abdulrahim AF, Al Massry NA, Saad M, et al. Correlation between COVID-19 case fatality rate and percentage of BCG vaccination: is it true the vaccine is protective? *Egypt J Bronchol*. 2020;14:25. [doi:10.1186/s43168-020-00022-1](#)
- 12 Ma Y, Zhao Y, Liu J, He X, Wang B, Fu S, et al. Effects of temperature variation and humidity on the death of COVID-19 in Wuhan, China. *Sci Total Environ*. 2020;724:138226. [Medline:32408453](#) [doi:10.1016/j.scitotenv.2020.138226](#)

Correspondence to:

Mohammad Yasir Essar
 Medical Research Center
 Kateb University
 Kabul, Afghanistan
 Postal Code: 1004
m.yasir.essar@kateb.edu.af